Total No. of Questions—8]

[Total No. of Printed Pages—4

Seat No.

[5152]-531

## S.E. (E&TC/Electronics) (I Sem.) EXAMINATION, 2017 SIGNALS AND SYSTEMS (2015 PATTERN)

Time: Two Hours

Maximum Marks: 50

- N.B. :— (i) Attempt Q. No. 1 or Q. No. 2, Q. No. 3 or Q. No. 4
  Q. No. 5 or Q. No. 6, Q. No. 7 or Q. No. 8.
  - (ii) Figures to the right indicate full marks.
  - (iii) Neat diagrams must be drawn wherever necessary.
    - (iv) Assume suitable data, if necessary.
- 1. (a) Find whether the following signals are energy or power and find the corresponding value: [4]

 $x(t) = \cos(t).$ 

- (b) Determine whether the following LTI system described by impulse response  $h(t) = e^{-t} u(t+1)$  is stable and causal. [4]
- (c) Find odd and even components of the following signals: [4]  $x[n] = \{1, 0, -1, 2, 3\}$

Or

2. (a) An analog signal is given by the equation: [2]  $x(t) = 2 \sin 400 \pi t + 10 \cos 1000 \pi t.$ 

It is sampled at sampling frequency 1000 Hz:

- (i) What is the Nyquist rate for the above signal?
- (ii) What is the Nyquist interval of the signal?

P.T.O.

(b) Determine the convolution sum of the following sequence using equation of convolution sum: [6]

$$x(n) = \delta(n) + 2\delta(n-2)$$

$$h(n) = 2\delta(n) - \delta(n-2).$$

- (c) Check whether the following singal is periodic or non-periodic. If periodic, find period of the signal : [4]  $x(t) = 10 \sin 12\pi t + 4 \sin 18\pi t.$
- 3. (a) State and prove the following properties of CTFT: [6]
  (i) Time scaling
  - (ii) Time shifting.
  - (b) Obtain the trigonometric Fourier series of the rectangular pulse shown in Fig. 1:




Fig. 1

Or

4. (a) State the Dirichlet conditions for existence of Fourier series. [4]

(b) For the sinc function shown in Fig. 2, obtain Fourier transform and plot its spectrum . [8]




Fig. 2

- 5. (a) Find the initial and final value of a signal : [6]  $X(s) = (s + 10)/(s^2 + 2s + 2).$ 
  - (b) Find the inverse Laplace transform of: [7] X(s) = -5s 7/(s+1)(s-1)(s+2).

Or

- 6. (a) Find the Laplace transform of the following with ROC : [7]

  (i) x(t) = u(t-5)(ii)  $x(t) = e^{-at} \sin(\omega t) u(t)$ .
  - (b) The differential equation of the system is given by : [6] dy(t)/dt + 2y(t) = x(t).

Determine the output of system for  $x(t) = e^{-3t} u(t)$ . Assume zero initial condition.

7. (a) What is correlation? Explain the *two* types of correlations with a practical application for each. [6]

(b) The PDF of a random variable x is given by: [7]  $f(x) = 1/2\pi \qquad \text{for } 0 < x < 2\pi$ 

 $f_x(x) = 1/2\pi$  for  $0 \le x \le 2\pi$ = 0 otherwise.

Calculate mean value, mean square value, variance and standard deviation.

Or

- **8.** (a) In a pack of cards, 2 cards are drawn simultaneously. What is the probability of getting a queen, jack combination ? [6]
  - (b) Supose that a certain random variable has a CDF: [7]

$$\mathbf{F}_{x}(\mathbf{X}) = 0 \qquad \text{for } x \leq 0$$

$$= kx^{2} \qquad \text{for } 0 \leq x \leq 10$$

$$= 50k \qquad \text{for } x > 10$$

- (i) Determine the value of k
- (ii) P(4  $\leq x \leq 7$ )
- (iii) Find and sketch PDF.