SEAT No.:	
-----------	--

P5680

[Total No. of Pages :2

TE/INSEM./OCT.-126 T.E. (E & TC) MECHATRONICS

(2015 Pattern) (Semester - I) (304185)

Time: 1 Hour]

[Max. Marks:30

Instructions to the candidates:


- 1) Answer Q1 or Q2, Q3 or Q4, Q5 or Q6.
- 2) Neat diagrams must be drawn wherever necessary.
- 3) Assume suitable data if necessary.
- Q1) a) Draw a block schematic of mechatronics system. Explain its key elements.

[6]

b) The individual sensitivities of different elements comprising a temperature measuring system are: transducer = 0.3 ohm/C; Wheatstone bridge = 0.01 V/ohm; amplifier gain = 80 V/V; pen recorder = 1.2 mm/V. Determine the overall sensitivity & the temperature change corresponding to a pen recorder movement of 30 mm.

OR

Q2) a) A small motor running at 200 rpm drives a paper roller in a business machine. The gear on the motor has 20 teeth, and the gear on the roller has 50 teeth. How fast is the roller turning?[4]



b) Discuss the operation of washing machine with a suitable sketch. [6]

P. T.O.

Q3) a) Does ultrasonic transducer is useful in position measurement? If yes, justify with suitable sketch. A resistance wire strain gauge with a GF of 2.5 is bonded to a steel b) structural member subjected to a stress of 120 MN/ m². The modulus of elasticity of steel is 250 GPa. Find the percentage change in the value of the gauge resistance, due to applied stress. OR With a suitable schematic, explain the working of inductive proximity *Q4*) a) [6] sensor. Write a short note micro-electromechanical sensor (MEMS) b) [4] **05)** a) Write a short note on: [8] Relief valve Centrifugal pump ii) How pressure is regulated in hydraulics system? [2] b) Draw a diagram of vane pump. Explain its construction & working *06*) a) principle. The hydraulic cylinder is of 8 cm diameter. Find the force exerted on the b) piston if the pressure is 700 kPa.