Total No. of Questions : 4]

P1268

SEAT No. :

[Total No. of Pages : 2

OCT/FE/INSEM-1 F.E. (Phase - I) ENGINEERING MATHEMATICS - I (2019 Pattern)

Time : 1 Hour]

Instructions to the candidates:

- 1) Attempt Q.1 or Q.2 and Q.3 or Q.4.
- 2) Use of electronic pocket calculator is allowed.
- 3) Assume suitable data, if necessary.
- 4) Neat diagrams must be drawn wherever necessary.
- 5) Figures to the right indicate full marks.

Q1) a) For 0 < a < b, show that

$$\left(\frac{b-a}{b}\right) < \log\left(\frac{b}{a}\right) < \left(\frac{b-a}{a}\right)$$

Hence show that $\frac{1}{4} < \log\left(\frac{4}{3}\right) < \frac{1}{3}$

b) By using Taylor's theorem, expand $f(x) = e^x$ in powers of (x-2). [5]

c) Evaluate $\lim_{x \to 0} \left(\frac{a^x + b^x}{2} \right)^{\frac{1}{x}}$ [5]

OR

- Q2) a) Prove that $\log(1 + \tan x) = x \frac{x^2}{2} + \frac{2}{3}x^3 --$ [5]
 - b) Expand $7+(x+1)+3(x+1)^3+(x+1)^4$ in ascending powers of x by using Taylor's theorem. [5]

Find a and b if

$$\lim_{x \to 0} \left[\frac{a \cos x - a + bx^2}{x^4} \right] = \frac{1}{12}$$
[5]

[Max. Marks : 30

[5]

P.T.O.

Q3) a) Find fourier series to represent the function

$$f(x) = x \text{ for } -\pi < x < \pi \text{ and } f(x) = f(x + 2\pi).$$
 [5]

- b) Find half range cosine series for $f(x) = x^2$, 0 < x < 2. [5]
- c) Obtain constant term and coefficients of the first sine and cosine terms in the Fourier expansion of y as given in the following table. [5]

(Given $f(x) = f(x+2\pi)$)

x	0	$\frac{\Pi}{3}$	$\frac{2\Pi}{3}$	П	$\frac{4\Pi}{3}$	$\frac{5\Pi}{3}$
y	1.0	1.4	1.9	1.7	1.5	1.2

OR

- Q4) a) Find Fourier series for the function $f(x) = x^2 2, -2 \le x \le 2$ and f(x) = f(x+4). [5]
 - b) Find half-range sine series for $f(x) = \prod x x^2$ where $0 < x < \prod$. [5]
 - c) Find first three terms in cosine series to represent y as given in the following table. [5]

x	0	1	2	3	4	5	
у	4	8	15	7	6	2	

FE/INSEM-1