

[5353] - 557

T.E. (E & TC)

INFORMATION THEORY, CODING AND COMMUNICATION NETWORKS**(2015 Pattern)****Time : 2½ Hours]****[Max. Marks : 70****Instructions to the candidates:**

- 1) Attempt Q.1 or Q.2, Q.3 or Q.4, Q.5 or Q.6, Q.7 or Q.8.
- 2) Figures to the right indicate full marks.
- 3) Neat diagrams must be drawn wherever necessary.
- 4) Assume suitable data, if necessary.

- Q1)** a) A source emits 1000 symbols per second from a range of 5 symbols, with probabilities $\left[\frac{1}{2}, \frac{1}{4}, \frac{1}{8}, \frac{1}{16}, \frac{1}{16}\right]$. Find entropy and information rate. [6]
- b) For a systematic (6,3) LBC, the parity matrix is given by [7]

$$P = \begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & 1 \\ 1 & 1 & 0 \end{bmatrix}$$

- i) Find all possible code vectors
 - ii) Find error detecting & correcting capabilities.
- c) Obtain generator matrix and parity check matrix for (7,4) cyclic code using generator polynomial $g(x) = x^3 + x + 1$ [7]

OR

- Q2)** a) What is mutual information? Calculate all the entropies & mutual information for the channel with channel matrix given as $P[y/x] = [0.9, 0.1, 0; 0, 0.8, 0.2; 0, 0.3, 0.7]$ [7]

Given $P(x_1) = 0.3$ and $P(x_2) = 0.25$

$$P(x_3) = 0.45$$

P.T.O.

b) State & Explain [6]

- i) Shannon's channel coding theorem
- ii) Shannon's Information capacity theorem

c) Explain the cyclic property of cyclic code. Generate a systematic (7,4) cyclic code for the messages [7]

- i) 1010
- ii) 1000

Q3) a) For a 1/3 rate convolutional encoder using three generators [10]

$$g_1 = [1 \ 0 \ 0]$$

$$g_2 = [1 \ 0 \ 1]$$

$$g_3 = [1 \ 1 \ 1]$$

- i) Sketch the encoder configuration.
- ii) Draw state and Terllies diagram
- iii) Find output code sequence for the input sequence 10110

b) Find the generator polynomial for the BCH code with block length $n = 15$, for error correcting capability $t_c = 2$.

Use primitive polynomial $p(x) = x^4 + x + 1$, over $GF(2^4)$ [8]

OR

Q4) a) Design (7,3) RS double error correcting code. Use primitive polynomial over $GF(2^3)$, $x^3 + x + 1$.

Find systematic RS code for the message $\{\alpha, \alpha^3, \alpha^5\}$ [10]

b) Define the following terms related to convolutional code with example

- i) Constraint length
- ii) Code rate
- iii) Free length
- iv) Coding gain

[8]

- Q5) a)** Draw & Explain OSI network model. What is peer to peer process? [8]
b) What is network? Explain different types of network topologies. [8]

OR

- Q6) a)** Draw & explain TCP/IP reference model. Explain functionality of each layer. [8]
b) Compare coaxial cable, Twisted pair cable and fibre optic cable. [8]
- Q7) a)** Draw the HDLC frame format. Explain the control field used in HDLC for different frame types. [8]
b) Explain functions of data link layer. [8]

OR

- Q8) a)** List different framing methods. Explain character stuffing and bit stuffing in DLL [8]
b) What is ARQ ? Explain Go back N and selective repeat ARQ protocols. [8]

